New Submissions and Amendments for the Forward Plan

Please Complete ALL Yellow Fields and return to the Cabinet Member Advisor.

Please Select Forward Plan Entry New Decision

Title and decision being made (1)	FP Reference Number (2)	Cabinet Member (3)	Lead Officer (4)	Is the decision to be taken in private and if so the reason(s) why? Is any information relating to the decision to be considered confidential and if so why? (5)	Stakeholder Involvement (how and when will they be involved in the decision-making process) (6)	How and when will the decision be taken (7)	Will an Equality Impact Assessment be completed (as required for all member decisions) (8)	List of documents to be submitted to the decision- maker for consideration (9)
Brentwood Borough Council Draft Local Plan Preferred Site Allocations (Reg. 18)- ECC response		Sue Lissimo	Anne Clitheroe anne.clithe roe@esse x.gov.uk T 0333 03 20869	No	Internal service areas will be consulted to formulate the ECC response	Portfolio Holder	No	Brentwood Borough Council Draft Local Plan Preferred Site Allocations consultation documents

Notes

Nothing should be added to the Forward Plan that comes as a surprise to the relevant Cabinet Member. The Cabinet Member should be consulted via the Cabinet Support Office before any decision is added or amended on the Forward Plan.

- 1. A short title, which can be used to identify the issues being considered
- 2. If making an amendment to an item already of the Forward Plan, please insert the reference number
- 3. The Cabinet Member responsible for the decision
- 4. The Officer responsible for the decision, including contact details
- 5. A note of why privacy and/or confidentiality are considered necessary with appropriate narrative.
- 6. Who has been consulted (inc. internal and external bodies) in taking the decision
- 7. Who is likely to take the decision and when

- 8. Will an Equality Impact Assessment be completed (as required for all member decisions9. What relevant reports and background papers are available